



TruDefinition.[®] **DURATION[®]** & **OAKRIDGE[®]** Shingles
 Bold Contrast. Deep Dimension. TruDefinition.[®]



TruDefinition Oakridge Driftwood[†]



TOTAL PROTECTION. TOTAL CONFIDENCE.[®]



SEAL.



DEFEND.



BREATHE.



Two beautiful ways to enjoy truly extraordinary color.

At Owens Corning Roofing, **TruDefinition®** is our color design platform trademark on shingles that are specially formulated to capture the bright, vibrant hues and deep, dramatic shades that showcase the aesthetic appeal of your home. And now, you can enjoy truly bold contrast and rich, deep dimension with **TruDefinition® Oakridge® Shingles** as well as **TruDefinition® Duration® Shingles** with patented **SureNail® Technology**. Both shingle choices use multiple-granule colors and shadowing to provide a spectacular look that will enhance your home and complement its natural surroundings. So no matter which shingle is right for your home, you'll never have to compromise on color.

TruDefinition® Duration® Shingles with patented SureNail® Technology

TruDefinition® Duration® Shingles feature our patented **SureNail® Technology** — a technological breakthrough in roofing that adds the strength of **Triple Layer Protection®** to your roof.

- Limited Lifetime Warranty* / †† (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- StreakGuard™ Protection with a 10-year Algae Resistance Limited Warranty.*
- SureNail® Technology



TruDefinition® Oakridge® Shingles

TruDefinition® Oakridge® Shingles feature the bold contrast and deep dimension of **TruDefinition®** color in a shingle that provides a beautiful step up from traditional three-tab shingles.

- Limited Lifetime Warranty* / †† (for as long as you own your home)
- 110/130‡ MPH Wind Resistance Limited Warranty*
- StreakGuard™ Protection with a 10-year Algae Resistance Limited Warranty.*

* See actual warranty for complete details, limitations and requirements.

† Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

†† 40-Year Limited Warranty on commercial projects.

‡ 110 MPH is standard with 4-nail application. 130 MPH is applicable only with 6-nail application and Owens Corning® Starter Shingle products application along eaves and rakes in accordance with installation instructions.

Applies for all areas that recognize a Miami-Dade Notice of Acceptance (NOA).

** The amount of Triple Layer Protection may vary on a shingle-to-shingle basis.

International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

For patent information, please visit www.owenscorning.com/patents.

SureNail® Technology is available only on Owens Corning® Duration® Series Shingles.

SureNail® Technology is not a guarantee of performance in all weather conditions.

ENERGY STAR and the ENERGY STAR mark are registered trademarks of the U.S. Environmental Protection Agency.

Shingles are algae resistant to help control the growth of algae and discoloration.

Available Colors


TruDefinition® Oakridge® and
TruDefinition® Duration® Shingles Colors




Brownwood†




Desert Tan†



Driftwood†



Estate Gray†



Onyx Black†



Teak†

Additional
TruDefinition® Duration® Shingle Colors



Amber†



Chateau Green†



Colonial Slate†



Harbor Blue†



Shasta White†



Sierra Gray†



Terra Cotta†

TruDefinition® Duration®

Product Attributes

Warranty Length*

Limited Lifetime^{††} (for as long as you own your home)

Wind Resistance Limited Warranty*

130 MPH

Algae Resistance Limited Warranty*

10 Years

TRU PROtection® Non-Prorated Limited Warranty* Period

10 Years

Product Specifications

Size	13¼" x 39⅜"
Application Exposure	5⅝"
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.

Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

Florida Product Approval

ICC-ES AC438#

Miami-Dade County Product Approval^{††}

PRI ER 1378E01

Shasta White color meets ENERGY STAR® requirements for initial solar reflectance of 0.25 and 3-year aged solar reflectance of 0.15; 2013 California Building Energy Efficiency Standards, Title 24, Part 6 requirements; rated by the Cool Roof Rating Council (CRRC).

TruDefinition® Oakridge®

Product Attributes

Warranty Length*

Limited Lifetime^{††} (for as long as you own your home)

Wind Resistance Limited Warranty*

110/130 MPH[†]

Algae Resistance Limited Warranty*

10 Years

TRU PROtection® Non-Prorated Limited Warranty* Period

10 Years

Product Specifications

Size	13¼" x 39⅜"
Application Exposure	5⅝"
Shingles per Bundle	Not less than 20
Average Shingle Count per 3 Bundles	64
Average Coverage per 3 Bundles	98.4 sq. ft.

Applicable Standards and Codes

ASTM D228

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462

ASTM D7158 (Class H Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

Florida Product Approval

ICC-ES AC438#

Miami-Dade County Product Approval^{††}

PRI ER 1378E01



TruDefinition® Duration
Estate Gray†



Total Protection Roofing System^{®^}

TOTAL PROTECTION SIMPLIFIED™



Owens Corning[®] Total Protection Roofing System^{®^} integrates engineered Owens Corning[®] components that work together to address these three primary performance areas, critical to a high-performance roof, while also making it easy to understand the importance of each. **With Owens Corning, it's easy to confidently deliver total protection, beauty and peace of mind.**

SEAL.


SELF-ADHERED ICE & WATER BARRIER
SYNTHETIC UNDERLAYMENT

DEFEND.

STARTER SHINGLES
LAMINATE SHINGLES
HIP & RIDGE SHINGLES

BREATHE.

INTAKE VENTS
EXHAUST VENTS



+ COMFORT.

PINK[®] FIBERGLAS[™]
BLOWN-IN
ATTIC INSULATION



OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OHIO, USA 43659
1-800-GET-PINK[®]
www.owenscorning.com/roofing



Pub. No. 10017829-E. Printed in U.S.A. October 2019.
THE PINK PANTHER[™] & © 1964-2019 Metro-Goldwyn-Mayer Studios Inc.
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.
© 2019 Owens Corning. All Rights Reserved.

(Irving East)