




# LongRidge™

## Extended Hip & Ridge Shingles



LongRidge™ Extended Hip & Ridge Shingles are a component of the Owens Corning® Total Protection Roofing System.®^

## Superior Aesthetics and Performance

Owens Corning® LongRidge™ Extended Hip and Ridge Shingles offers a unique broad look with an extended exposure to top off the residential roofing system. LongRidge™ Extended Hip and Ridge Shingles protects ridge vents and roof peaks from the elements while adding a bold dramatic appearance with vibrant colors.

**Extended exposure**—Extended 10" exposure provides an attractive, clean, consistent roof line than cut-tab shingles for enhanced curb appeal.

**Outstanding wind performance**—Wind-resistance warranty up to 130 MPH\* compared to cut-tab shingles.

**Added protection**—Carries a warranty life based on the Owens Corning® shingles installed and also qualifies for an extended limited warranty.\*

**Matching color palette**—Coordinates with Owens Corning® shingle colors to ensure a perfect match and a consistent look - including unique TruDefinition® Duration®, TruDefinition® Oakridge® and Oakridge® shingle blends in select colors.

**Algae resistance**—Specially formulated to resist staining and retard algae growth.


**Brand you trust<sup>††</sup>**—The Owens Corning® Total Protection Roofing System® ^ gives the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of the roof.

## See the difference for yourself

Extended 10" exposure offers more coverage and dimension compared to cut-tab shingles.



LongRidge™ Extended Hip and Ridge



Cut-tab Shingle

# 10 Attractive Colors


With a blended color formulation, we have options to complement our full lineup of shingles.



Amber<sup>†</sup>



Brownwood<sup>†</sup>



Chateau Green<sup>†</sup>



Desert Tan<sup>†</sup>




Driftwood<sup>†</sup>




Estate Gray<sup>†</sup>



Onyx Black<sup>†</sup>



Shasta White<sup>†</sup>



Sierra Gray<sup>†</sup>



Teak<sup>†</sup>

## Product Specifications

Nominal Size	13¼" x 36"
Piece Size	13¼" x 12"
Exposure	10"
Shingles per Bundle <sup>‡</sup>	13
Pieces per Bundle <sup>‡</sup>	40
Lineal Coverage per Bundle <sup>‡</sup>	33 ft.

## Applicable Standards and Codes

ASTM D3018 (Type 1)

ASTM D3161 (Class F Wind Resistance)

ASTM D3462

ASTM E108/UL 790 (Class A Fire Resistance)

ICC-ES AC438<sup>#</sup>

UL ER2453-01<sup>##</sup>

\* See actual warranty for complete details, limitations and requirements.

\*\* 2014 Laminate Innovation Survey by Owens Corning Roofing and Asphalt, LLC.

† Owens Corning strives to accurately reproduce photographs of shingles. Due to manufacturing variances, the limitations of the printing process and the variations in natural lighting, actual shingle colors and granule blends may vary from the photo. The pitch of your roof can also impact how a shingle looks on your home. We suggest that you view a roofing display or several shingles to get a better idea of the actual color. To accurately judge your shingle and color choice, we recommend that you view it on an actual roof with a pitch similar to your own roof prior to making your final selection. Color availability subject to change without notice. Ask your professional roofing contractor for samples of colors available in your area.

†† 2014 Laminate Innovation Study by Owens Corning Roofing and Asphalt, LLC.

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

## Underwriters Laboratories Evaluation Service Evaluation Report.

‡ Based on average bundle.

### Disclaimer of Liability

Technical information contained herein is furnished without charge or obligation and is given and accepted at recipient's sole risk. Because conditions of use may vary and are beyond our control, Owens Corning makes no representation about, and is not responsible or liable for the accuracy or reliability of data associated with particular uses of any product described herein.




# The Total Protection Roofing System<sup>®</sup>^

Working together to help protect and enhance your home.

It takes more than just shingles to protect your home. It takes an integrated system of components and layers designed to withstand the forces of nature outside while controlling temperature and humidity inside.

The Owens Corning<sup>®</sup> Total Protection Roofing System<sup>®</sup>^ gives you the assurance that all of your Owens Corning<sup>®</sup> roofing components are working together to help increase the performance of your roof — and to enhance the comfort and enjoyment of those who live beneath it.



^Excludes non-Owens Corning<sup>®</sup> roofing products such as flashing, fasteners and wood decking.



Help prevent heat and moisture buildup in the attic by allowing fresh air to enter the attic.



Help protect vulnerable areas where water can do the most damage: eaves, valleys, dormers and skylights.




Help prevent damage from wind-driven rain by providing an additional layer of protection between the shingles and roof deck.




Enjoy clean lines and faster, easier installation by eliminating the need to cut shingle tabs.



Choose from a variety of durable styles and colors that provide the first line of defense against the elements.



Help protect your roofing system by allowing heat and moisture to escape from the attic.



Help protect the ridge vent and add an attractive, finished look to your entire roof.



**OWENS CORNING ROOFING AND ASPHALT, LLC**  
 ONE OWENS CORNING PARKWAY  
 TOLEDO, OHIO, USA 43659  
**1-800-438-7465 (1-800-GET-PINK<sup>®</sup>)**  
[www.owenscorning.com/roofing](http://www.owenscorning.com/roofing)

Pub. No. 10020545. Printed in U.S.A. November 2015. THE PINK PANTHER<sup>™</sup> & © 1964–2015 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved. The color PINK is a registered trademark of Owens Corning. © 2015 Owens Corning. All Rights Reserved.

(Houston, Irving)

