
INSULATION ACCESSORY LIST

Effective August 2026

raft-R-mate® Attic Vents (Ventilation Baffles)

UPS option



PRODUCT CODE	Carton UPS 459263 Carton Plant 510266
SHORT CODE	Carton UPS 12 RM Carton Plant 10 RM
UNIT UPC (EA)	UPC 047563500516 UPC 047563500455
PRODUCT DIMENSIONS	22.5" x 48" x 1.5" thick
CARTON DIMENSIONS	23" x 48" x 16"H
CARTON COUNT	75
PALLET DIMENSIONS	48" x 48" x 102"H
PALLET COUNT	900
TRUCKLOAD QUANTITY	21,600
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, MTV, TALL, ROCK, GRES, PORT, VAC, PHO, EDM, TOR
MINIMUM QUANTITY	UPS — 1 ct/75 ea Insulation Plant 1 ct/75 ea Foam Plants — 2 pallets/1,800 ea

raft-R-mate® vent is a rigid polystyrene sheet shaped to help prevent attic or rafter cavity insulation (batt or blown) from covering eave or soffit vents, or from expanding to fill cavity airways and restricting airflow.

AtticMate® Attic Vent (Ventilation Baffles)

PRODUCT CODE	520031
SHORT CODE	6AM
UPC	047563500141
PRODUCT DIMENSIONS	22.5" x 48" x 1.5" thick
BAG DIMENSIONS	22.5" x 48" x 12"H
BAG COUNT	75
PALLET DIMENSIONS	48" x 48" x 102"H
PALLET COUNT	1,200
TRUCKLOAD QUANTITY	31,200
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, PORT, VAC, PHO, TOR
MINIMUM QUANTITY	1,200 pc/1 pallet top-loaded



AtticMate® vent is a rigid polystyrene sheet shaped to create an air channel in the cavity between the insulation and the roof deck. AtticMate® attic vent helps prevent the attic or rafter cavity insulation (batt or blown) from expanding to fill cavity airways and resulting airflow.

UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

Inspect-R® Gauge

UPS option

PRODUCT CODE	391977
SHORT CODE	L41
STOCKING LOCATIONS	UPS only
MINIMUM QUANTITY	1 ea



The Inspect-R® insulation density gauge is used to verify the R-value of Owens Corning® PROPINK Complete™ Fiberglas™ in a wall cavity.†

† This device has been designed for exclusive use with Owens Corning® PROPINK Complete™ Blown-In Wall System and PROPINK® Blown-In Loosefill and cannot be used with other fabrics or insulation systems.

Wall Fabric — 8'2", 9'2", 10'2"



PRODUCT CODE	**8'2"**	1198826
	9'2"	1198823
	10'2"	1198808
SHORT CODE	**8'2"**	LF8
	9'2"	LF9
	10'2"	LF10
UPC	**8'2"**	047563723830
	9'2"	047563723847
	10'2"	047563723854
PRODUCT DIMENSIONS	**8'2"**	8'2" x 600' = 4,896 sq. ft.
	9'2"	9'2" x 600' = 5,496 sq. ft.
	10'2"	10'2" x 600' = 6,096 sq. ft.
STOCKING LOCATIONS	**8'2"**	FB, KC, DEL, NEW, WAX, EDM, TOR, MTV, LAKE, PORT, VAC, PHO
	9'2"	FB, KC, DEL, NEW, WAX, EDM, TOR, MTV, LAKE, PORT, VAC, PHO
	10'2"	FB, KC, NEW, WAX, EDM, TOR, LAKE, PORT, VAC, PHO
MINIMUM QUANTITY	**8'2"**	
	9'2"	1 roll top-loaded
	10'2"	

For installing Owens Corning® Blown-In Loosefill Insulation in walls or other framing cavities, Owens Corning® Wall Fabric takes advantage of the new higher R-value wall installation charts.

3" Wood Plugs

UPS option



PRODUCT CODE	581088
BAG UPC (EA)	047563706192
CARTON UPC	047563706208
PRODUCT DIMENSIONS	3" x 3" x ¾" thick
CARTON DIMENSIONS	26" x 24" x 7"
STOCKING LOCATIONS	UPS only
MINIMUM QUANTITY	1 ct/16 bags/400 plugs — UPS Ground

UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

Attic Stairway Insulator



PRODUCT CODE	1444503
SHORT CODE	AS2
UPC	047563701265
PRODUCT DIMENSIONS	36" x 60" x 19"H x 2" thick
CARTON DIMENSIONS	12" x 24" x 16"H
CARTON COUNT	1
PALLET DIMENSIONS	40" x 48" x 52"H
PALLET COUNT	18
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, MTV, PORT
MINIMUM QUANTITY	2 ct

Owens Corning® Attic Stairway Insulator is comprised of durable PINK® Fiberglas™ Insulation and tough, highly reflective foil. The product comes fully assembled and is easy to install. The Attic Stairway Insulator can help reduce air leaks and add insulation to the home as recommended by the seal and insulate with ENERGY STAR® effort.

Attic Hatch Bag

PRODUCT CODE	1445343
PACK UPC	047563711639
PRODUCT DIMENSIONS (WHEN FULL)	24" x 32" x 15"
STOCKING LOCATIONS	FB, KC, DEL, NEW, LAKE, PORT, VAC, PHO
MINIMUM QUANTITY	25 pc/1 ct top-loaded



The Attic Hatch Bag is a loosefill insulation bag that can be used for the attic hatch, an insulation block at the eaves, or as fencing around the attic opening. The fabric bag is flexible to different hatch sizes. Simply fill the bag with 7 lbs (1/4 of a bag) of loosefill insulation to achieve R-60. The bag self-seals when you pull the hose out. *(Bag in picture is shown filled.)*

UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

Garage Door Insulation Kit

PRODUCT CODE	1445357
SHORT CODE	GD1
CARTON UPC	047563700275
PRODUCT DIMENSIONS	(8) 22" x 54" x 2.25" thick
CARTON DIMENSIONS	12" x 24" x 16"H
CARTON COUNT	1
PALLET DIMENSIONS	40" x 48" x 52"H
PALLET COUNT	18
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, PORT, VAC
MINIMUM QUANTITY	2 ct



The Garage Door Insulation Kit is a great way to insulate part of the home envelope that is often ignored and improve garage comfort. These R-8 panels covered in tough, washable vinyl facing are an attractive and cost-effective way to improve garages. Each kit covers up to one 9 ft. single door. Two kits required for a double door.

ProPink ComfortSeal™ Gun Foam

UPS option

PRODUCT	SAP CODE	STOCKING LOCATIONS	UPC/EA	UPC/CT	MIN QTY	CT QTY	PALLET COUNT
ProPink ComfortSeal™ Gun Foam All Season — 24 oz	644229	MTO	047563707403	047563707465	2 pl/1,152 ea	12 ea	576 ea
ProPink ComfortSeal™ Gun Foam — 24 oz	644228	NEW	047563707397	047563707458	6 ct/72 ea	12 ea	576 ea
ProPink ComfortSeal™ Sealant Cleaner — 12 oz	644230		047563707410	047563707472	6 ct/72 ea	12 ea	900 ea
ProPink® Foam Sealant Gun — All Plastic	644231		047563707427	047563707489	1 ea**	20 ea	NA
ProPink® Foam Sealant Gun — Hybrid	644232		047563707434	047563707496	1 ea**	20 ea	NA

** For orders with foam and guns, single guns can be shipped. For orders with guns only, one ct is the minimum order quantity.

ProPink ComfortSeal™ Gun Foam does the job of three products in one: Window & Door, Fireblock, and General Air Sealing with just one product.

ProPink ComfortSeal™ Gun Foam All Season works better in extreme cold and low-humidity environments than standard single-component foams.

ProPink ComfortSeal™ Gun Foam accessories include cleaner and dispensing guns.



UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

ProPink ComfortSeal™ Sill Gasket

PRODUCT CODE	**3.5"**	659710
	5.5"	659711
	7.5"	659712
SHORT CODE	**3.5"**	1FS
	5.5"	2FS
	7.5"	3FS
UPC	**3.5"**	748232100067
	5.5"	748232100074
	7.5"	748232100081
PRODUCT DIMENSIONS		All rolls 3/16" thick x 50' long
CARTON DIMENSIONS		44" x 44" x 45"
CARTON COUNT	**3.5"**	192
	5.5"	128
	7.5"	96
PALLET DIMENSIONS		90" x 88" x 44"H
PALLET COUNT	**3.5"**	768
	5.5"	512
	7.5"	384
STOCKING LOCATIONS	**3.5"**	FB, KC, DEL, NEW, WAX, TALL, ROCK, PORT, VAC, PHO
	5.5"	FB, KC, DEL, NEW, WAX, TALL, ROCK, PORT, VAC, PHO
	7.5"	FB, KC, DEL, NEW, TALL, ROCK, VAC, PHO
MINIMUM QUANTITY		Insulation 1 ct top-loaded Foam 4 ct/1 pl top-loaded



ProPink ComfortSeal™ Sill Gasket seals the gap between the sill plate and foundation. A high percentage of a building's heat loss is due to air infiltration.

ProPink ComfortSeal™ Framing Gasket



PRODUCT CODE	780778
UPC	047563713572
PRODUCT DIMENSIONS	3" x 50' x 3/16"
CARTON DIMENSIONS	45" x 45" x 48"
CARTON COUNT	240
PALLET DIMENSIONS	90" x 88" x 44"
PALLET COUNT	960
TRUCKLOAD QUANTITY	13,440
STOCKING LOCATIONS	FB, WAX, DEL, VAC, PHO
MINIMUM QUANTITY	1 ct/240 rolls top-loaded

ProPink ComfortSeal™ Framing Gasket seals the gap between the top plate, base plate, rim joists, and floor connections.

UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

QuietZone® Floor Mat



PRODUCT CODE	736665
SHORT CODE	ME34
ROLL UPC	047563302479
PRODUCT DIMENSIONS	4' x 35'
ROLL DIMENSIONS	14"D x 4'W x 35'L
PALLET DIMENSIONS	42" x 42" x 48"
PALLET COUNT	9
STOCKING LOCATIONS	NEW, TOR, EDM
MINIMUM QUANTITY	1 roll top-loaded

QuietZone® Acoustic Floor Mat is composed of a lightweight, closed-cell, extruded polyethylene foam and is acoustically engineered to isolate sound vibrations and impact noises. Used with wood or concrete floor assemblies.

QuietZone® Acoustic Floor Mat Tape

UPS option

PRODUCT CODE	717599
UPC	047563710939
PRODUCT DIMENSIONS	2⅜" x 72 yards
CARTON DIMENSIONS	20" x 20" x 9"
CARTON COUNT	20 rolls
PALLET DIMENSIONS	40" x 40" x 45"
PALLET COUNT	1,280 rolls
STOCKING LOCATIONS	UPS only
MINIMUM QUANTITY	1 ct/20 rolls

QuietZone® Acoustic Floor Mat Tape is designed and engineered to secure seams of Owens Corning® QuietZone® Floor Mat. It will maintain its adhesive properties under high-humidity conditions and provide a long-lasting seal.



Multi-Purpose Fiberglass Insulation



PRODUCT CODE	1445360
SHORT CODE	MP40
UPC	086397701942
PRODUCT DIMENSIONS	16" x 48" x 2" thick
CARTON DIMENSIONS	36" x 24" x 36"H
CARTON COUNT	40
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, PORT, VAC
MINIMUM QUANTITY	1 ct/40 ea, top-loaded
QTY PER PALLET	10 cts per pl

UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

FluidSealR™ Product

FluidSealR™ is a liquid applied flashing used as an air and weather barrier accessory for both Foamular® NGX® and Natural Polymers™ air barrier systems. It is used to seal joints as well as flash around penetrations.



PRODUCT CODE	1438304
PRODUCT SIZE	20 oz per sausage
QTY/CARTON	12 EA/Carton
PALLET COUNT	90 cases

Minimum order quantity: 1 carton
Stocking Location: Heath, OH

FluidSealR™ Applicator

PRODUCT CODE	1438303
QTY/CARTON	1 ea
MINIMUM ORDER	1

Minimum order quantity: 1
Stocking Location: Heath, OH



UPS: Products designated as UPS shipment in minimum quantities.

Top-loaded: This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

How to Order

Owens Corning Customer Service 1-800-346-1272 | **Owens Corning Help Line** 1-800-GET-PINK®

PRODUCT		PRODUCT CODE
raft-R-mate® Ventilation Baffles		UPS 459263/top-loaded 510266
AtticMate® Attic Vent		520031
Inspect-R® Gauge		391977
Wall Fabric	8'2" 9'2" 10'2"	1198826 1198823 1198808
3" Wood Plugs		581088
Attic Stairway Insulator		1444503
Attic Hatch Bag		1445343
Garage Door Insulation Kit		1445357
ProPink ComfortSeal™ Gun Foam		644228
ProPink ComfortSeal™ Gun Foam All Season		644229
ProPink ComfortSeal™ Foam Sealant Cleaner		644230
ProPink® Foam Sealant Gun — All Plastic		644231
ProPink® Foam Sealant Gun — Hybrid		644232
ProPink ComfortSeal™ Sill Gasket	3.5" 5.5" 7.5"	659710 659711 659712
ProPink ComfortSeal™ Framing Gasket		780778
QuietZone® Floor Mat		736665
QuietZone® Floor Mat Tape		717599
Multi-Purpose Fiberglass Insulation		1445360
FluidSealR™ Product		1438304
FluidSealR™ Applicator		1438303



OWENS CORNING SALES, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OH 43659 USA

1-800-GET-PINK®
www.owenscorning.com

Pub. No. 10015773-G. Printed in U.S.A. July 2026.
THE PINK PANTHER™ & ©1964–2026 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved.
The color PINK is a registered trademark of Owens Corning.
© 2026 Owens Corning. All Rights Reserved. © 2026 Thermafiber, Inc. All Rights Reserved.