



# INSULATION ACCESSORY LIST

Effective February 2026

## raft-R-mate® Attic Vents (Ventilation Baffles)

UPS option




<b>PRODUCT CODE</b>	Carton UPS 459263 Carton Plant 510266
<b>SHORT CODE</b>	Carton UPS 12 RM Carton Plant 10 RM
<b>UNIT UPC (EA)</b>	UPC 047563500516 UPC 047563500455
<b>PRODUCT DIMENSIONS</b>	22.5" x 48" x 1.5" thick
<b>CARTON DIMENSIONS</b>	23" x 48" x 16"H
<b>CARTON COUNT</b>	75
<b>PALLET DIMENSIONS</b>	48" x 48" x 102"H
<b>PALLET COUNT</b>	900
<b>TRUCKLOAD QUANTITY</b>	21,600
<b>STOCKING LOCATIONS</b>	FB, KC, DEL, NEW, WAX, MTV, TALL, ROCK, GRES, PORT, VAC, PHO, EDM, TOR
<b>MINIMUM QUANTITY</b>	UPS – 1 ct/75 ea Insulation Plant 1 ct/75 ea Foam Plants – 2 pallets/1,800 ea

raft-R-mate® vent is a rigid polystyrene sheet shaped to help prevent attic or rafter cavity insulation (batt or blown) from covering eave or soffit vents, or from expanding to fill cavity airways and restricting airflow.

## AtticMate® Attic Vent (Ventilation Baffles)

<b>PRODUCT CODE</b>	520031
<b>SHORT CODE</b>	6AM
<b>UPC</b>	047563500141
<b>PRODUCT DIMENSIONS</b>	22.5" x 48" x 1.5" thick
<b>BAG DIMENSIONS</b>	22.5" x 48" x 12"H
<b>BAG COUNT</b>	75
<b>PALLET DIMENSIONS</b>	48" x 48" x 102"H
<b>PALLET COUNT</b>	1,200
<b>TRUCKLOAD QUANTITY</b>	31,200
<b>STOCKING LOCATIONS</b>	FB, KC, DEL, NEW, WAX, PORT, VAC, PHO, TOR
<b>MINIMUM QUANTITY</b>	1,200 pc/1 pallet top-loaded



AtticMate® vent is a rigid polystyrene sheet shaped to create an air channel in the cavity between the insulation and the roof deck. AtticMate® attic vent helps prevent the attic or rafter cavity insulation (batt or blown) from expanding to fill cavity airways and resulting airflow.

**UPS:** Products designated as UPS shipment in minimum quantities.

**Top-loaded:** This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

## Inspect-R® Gauge

UPS option

<b>PRODUCT CODE</b>	391977
<b>SHORT CODE</b>	L41
<b>STOCKING LOCATIONS</b>	UPS only
<b>MINIMUM QUANTITY</b>	1 ea



The Inspect-R® insulation density gauge is used to verify the R-value of Owens Corning® PROPINK Complete™ Fiberglas™ in a wall cavity.<sup>†</sup>

<sup>†</sup> This device has been designed for exclusive use with Owens Corning® PROPINK Complete™ Blown-In Wall System and PROPINK® Blown-In Loosefill and cannot be used with other fabrics or insulation systems.

## Wall Fabric – 8'2", 9'2", 10'2"



<b>PRODUCT CODE</b>	<b>8'2"</b> <b>9'2"</b> <b>10'2"</b>	1198826 1198823 1198808
<b>SHORT CODE</b>	<b>8'2"</b> <b>9'2"</b> <b>10'2"</b>	LF8 LF9 LF10
<b>UPC</b>	<b>8'2"</b> <b>9'2"</b> <b>10'2"</b>	047563723830 047563723847 047563723854
<b>PRODUCT DIMENSIONS</b>	<b>8'2"</b> <b>9'2"</b> <b>10'2"</b>	8'2" x 600' = 4,896 sq. ft. 9'2" x 600' = 5,496 sq. ft. 10'2" x 600' = 6,096 sq. ft.
<b>STOCKING LOCATIONS</b>	<b>8'2"</b> <b>9'2"</b> <b>10'2"</b>	FB, KC, DEL, NEW, WAX, EDM, TOR, MTV, LAKE, PORT, VAC, PHO FB, KC, DEL, NEW, WAX, EDM, TOR, MTV, LAKE, PORT, VAC, PHO FB, KC, NEW, WAX, EDM, TOR, LAKE, PORT, VAC, PHO
<b>MINIMUM QUANTITY</b>	<b>8'2"</b> <b>9'2"</b> <b>10'2"</b>	1 roll top-loaded

For installing Owens Corning® Blown-In Loosefill Insulation in walls or other framing cavities, Owens Corning® Wall Fabric takes advantage of the new higher R-value wall installation charts.

## 3" Wood Plugs

UPS option



<b>PRODUCT CODE</b>	581088
<b>BAG UPC (EA)</b>	047563706192
<b>CARTON UPC</b>	047563706208
<b>PRODUCT DIMENSIONS</b>	3" x 3" x 3/4" thick
<b>CARTON DIMENSIONS</b>	26" x 24" x 7"
<b>STOCKING LOCATIONS</b>	UPS only
<b>MINIMUM QUANTITY</b>	1 ct/16 bags/400 plugs – UPS Ground

**UPS:** Products designated as UPS shipment in minimum quantities.

**Top-loaded:** This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

## Attic Stairway Insulator



<b>PRODUCT CODE</b>	1444503
<b>SHORT CODE</b>	AS2
<b>UPC</b>	047563701265
<b>PRODUCT DIMENSIONS</b>	36" x 60" x 19"H x 2" thick
<b>CARTON DIMENSIONS</b>	12" x 24" x 16"H
<b>CARTON COUNT</b>	1
<b>PALLET DIMENSIONS</b>	40" x 48" x 52"H
<b>PALLET COUNT</b>	18
<b>STOCKING LOCATIONS</b>	FB, KC, DEL, NEW, WAX, MTV, PORT
<b>MINIMUM QUANTITY</b>	2 ct

Owens Corning® Attic Stairway Insulator is comprised of durable PINK® Fiberglas™ Insulation and tough, highly reflective foil. The product comes fully assembled and is easy to install. The Attic Stairway Insulator can help reduce air leaks and add insulation to the home as recommended by the seal and insulate with ENERGY STAR® effort.

## Attic Hatch Bag

<b>PRODUCT CODE</b>	1445343
<b>PACK UPC</b>	047563711639
<b>PRODUCT DIMENSIONS (WHEN FULL)</b>	24" x 32" x 15"
<b>STOCKING LOCATIONS</b>	FB, KC, DEL, NEW, LAKE, PORT, VAC, PHO
<b>MINIMUM QUANTITY</b>	25 pc/1 ct top-loaded



The Attic Hatch Bag is a loosefill insulation bag that can be used for the attic hatch, an insulation block at the eaves, or as fencing around the attic opening. The fabric bag is flexible to different hatch sizes. Simply fill the bag with 7 lbs (1/4 of a bag) of loosefill insulation to achieve R-60. The bag self-seals when you pull the hose out. (Bag in picture is shown filled.)

**UPS:** Products designated as UPS shipment in minimum quantities.

**Top-loaded:** This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

## Garage Door Insulation Kit

PRODUCT CODE	1445357
SHORT CODE	GD1
CARTON UPC	047563700275
PRODUCT DIMENSIONS	(8) 22" x 54" x 2.25" thick
CARTON DIMENSIONS	12" x 24" x 16"H
CARTON COUNT	1
PALLET DIMENSIONS	40" x 48" x 52"H
PALLET COUNT	18
STOCKING LOCATIONS	FB, KC, DEL, NEW, WAX, PORT, VAC
MINIMUM QUANTITY	2 ct



The Garage Door Insulation Kit is a great way to insulate part of the home envelope that is often ignored and improve garage comfort. These R-8 panels covered in tough, washable vinyl facing are an attractive and cost-effective way to improve garages. Each kit covers up to one 9 ft. single door. Two kits required for a double door.

## ProPink ComfortSeal™ Gun Foam

UPS option

PRODUCT	SAP CODE	STOCKING LOCATIONS	UPC/EA	UPC/CT	MIN QTY	CT QTY	PALLET COUNT
ProPink ComfortSeal™ Gun Foam All Season – 24 oz	644229	MTO	047563707403	047563707465	2 pl/1,152 ea	12 ea	576 ea
ProPink ComfortSeal™ Gun Foam – 24 oz	644228	NEW	047563707397	047563707458	6 ct/72 ea	12 ea	576 ea
ProPink ComfortSeal™ Sealant Cleaner – 12 oz	644230		047563707410	047563707472	6 ct/72 ea	12 ea	900 ea
ProPink® Foam Sealant Gun – All Plastic	644231		047563707427	047563707489	1 ea**	20 ea	NA
ProPink® Foam Sealant Gun – Hybrid	644232		047563707434	047563707496	1 ea**	20 ea	NA

\*\* For orders with foam and guns, single guns can be shipped. For orders with guns only, one ct is the minimum order quantity.

**ProPink ComfortSeal™ Gun Foam** does the job of three products in one: Window & Door, Fireblock, and General Air Sealing with just one product.

**ProPink ComfortSeal™ Gun Foam** All Season works better in extreme cold and low-humidity environments than standard single-component foams.

**ProPink ComfortSeal™ Gun Foam** accessories include cleaner and dispensing guns.



**UPS:** Products designated as UPS shipment in minimum quantities.

**Top-loaded:** This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

## ProPink ComfortSeal™ Sill Gasket

<b>PRODUCT CODE</b>	<b>3.5"</b>	659710
	<b>5.5"</b>	659711
	<b>7.5"</b>	659712
<b>SHORT CODE</b>	<b>3.5"</b>	1FS
	<b>5.5"</b>	2FS
	<b>7.5"</b>	3FS
<b>UPC</b>	<b>3.5"</b>	748232100067
	<b>5.5"</b>	748232100074
	<b>7.5"</b>	748232100081
<b>PRODUCT DIMENSIONS</b>	All rolls 3/16" thick x 50' long	
<b>CARTON DIMENSIONS</b>	44" x 44" x 45"	
<b>CARTON COUNT</b>	<b>3.5"</b>	192
	<b>5.5"</b>	128
	<b>7.5"</b>	96
<b>PALLET DIMENSIONS</b>	90" x 88" x 44"H	
<b>PALLET COUNT</b>	<b>3.5"</b>	768
	<b>5.5"</b>	512
	<b>7.5"</b>	384
<b>STOCKING LOCATIONS</b>	<b>3.5"</b>	FB, KC, DEL, NEW, WAX, TALL, ROCK, PORT, VAC, PHO
	<b>5.5"</b>	FB, KC, DEL, NEW, WAX, TALL, ROCK, PORT, VAC, PHO
	<b>7.5"</b>	FB, KC, DEL, NEW, TALL, ROCK, VAC, PHO
<b>MINIMUM QUANTITY</b>	Insulation 1 ct top-loaded Foam 4 ct/1 pl top-loaded	

ProPink ComfortSeal™ Sill Gasket seals the gap between the sill plate and foundation. A high percentage of a building's heat loss is due to air infiltration.



## ProPink ComfortSeal™ Framing Gasket



<b>PRODUCT CODE</b>	780778
<b>UPC</b>	047563713572
<b>PRODUCT DIMENSIONS</b>	3" x 50' x 3/16"
<b>CARTON DIMENSIONS</b>	45" x 45" x 48"
<b>CARTON COUNT</b>	240
<b>PALLET DIMENSIONS</b>	90" x 88" x 44"
<b>PALLET COUNT</b>	960
<b>TRUCKLOAD QUANTITY</b>	13,440
<b>STOCKING LOCATIONS</b>	FB, WAX, DEL, VAC, PHO
<b>MINIMUM QUANTITY</b>	1 ct/240 rolls top-loaded

ProPink ComfortSeal™ Framing Gasket seals the gap between the top plate, base plate, rim joists, and floor connections.

**UPS:** Products designated as UPS shipment in minimum quantities.

**Top-loaded:** This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

## QuietZone® Floor Mat



<b>PRODUCT CODE</b>	736665
<b>SHORT CODE</b>	ME34
<b>ROLL UPC</b>	047563302479
<b>PRODUCT DIMENSIONS</b>	4' x 35'
<b>ROLL DIMENSIONS</b>	14"D x 4'W x 35'L
<b>PALLET DIMENSIONS</b>	42" x 42" x 48"
<b>PALLET COUNT</b>	9
<b>STOCKING LOCATIONS</b>	NEW, TOR, EDM
<b>MINIMUM QUANTITY</b>	1 roll top-loaded

QuietZone® Acoustic Floor Mat is composed of a lightweight, closed-cell, extruded polyethylene foam and is acoustically engineered to isolate sound vibrations and impact noises. Used with wood or concrete floor assemblies.

## QuietZone® Acoustic Floor Mat Tape

UPS option

<b>PRODUCT CODE</b>	717599
<b>UPC</b>	047563710939
<b>PRODUCT DIMENSIONS</b>	2 $\frac{3}{8}$ " x 72 yards
<b>CARTON DIMENSIONS</b>	20" x 20" x 9"
<b>CARTON COUNT</b>	20 rolls
<b>PALLET DIMENSIONS</b>	40" x 40" x 45"
<b>PALLET COUNT</b>	1,280 rolls
<b>STOCKING LOCATIONS</b>	UPS only
<b>MINIMUM QUANTITY</b>	1 ct/20 rolls

QuietZone® Acoustic Floor Mat Tape is designed and engineered to secure seams of Owens Corning® QuietZone® Floor Mat. It will maintain its adhesive properties under high-humidity conditions and provide a long-lasting seal.



## Multi-Purpose Fiberglass Insulation



<b>PRODUCT CODE</b>	1445360
<b>SHORT CODE</b>	MP40
<b>UPC</b>	086397701942
<b>PRODUCT DIMENSIONS</b>	16" x 48" x 2" thick
<b>CARTON DIMENSIONS</b>	36" x 24" x 36"H
<b>CARTON COUNT</b>	40
<b>STOCKING LOCATIONS</b>	FB, KC, DEL, NEW, WAX, PORT, VAC
<b>MINIMUM QUANTITY</b>	1 ct/40 ea, top-loaded
<b>QTY PER PALLET</b>	10 cts per pl

**UPS:** Products designated as UPS shipment in minimum quantities.

**Top-loaded:** This shipping option indicates product availability from stocking locations in minimum quantities added to insulation orders in line with Residential Insulation order guidelines (delivered or CPU).

## How to Order

Owens Corning Customer Service 1-800-346-1272 | Owens Corning Help Line 1-800-GET-PINK®

PRODUCT	PRODUCT CODE
raft-R-mate® Ventilation Baffles	UPS 459263/top-loaded 510266
AtticMate® Attic Vent	520031
Inspect-R® Gauge	391977
Wall Fabric	8'2" 9'2" 10'2"
3" Wood Plugs	1198826 1198823 1198808
Attic Stairway Insulator	581088
Attic Hatch Bag	1444503
Garage Door Insulation Kit	1445343
ProPink ComfortSeal™ Gun Foam	1445357
ProPink ComfortSeal™ Gun Foam All Season	644228
ProPink ComfortSeal™ Foam Sealant Cleaner	644229
ProPink® Foam Sealant Gun – All Plastic	644230
ProPink® Foam Sealant Gun – Hybrid	644231
ProPink ComfortSeal™ Sill Gasket	644232
3.5" 5.5" 7.5"	659710 659711 659712
ProPink ComfortSeal™ Framing Gasket	780778
QuietZone® Floor Mat	736665
QuietZone® Floor Mat Tape	717599
Multi-Purpose Fiberglass Insulation	1445360



**OWENS CORNING SALES, LLC**  
ONE OWENS CORNING PARKWAY  
TOLEDO, OH 43659 USA  
**1-800-GET-PINK®**  
**www.owenscorning.com**

Pub. No. 10015773-F. Printed in U.S.A. February 2026.  
THE PINK PANTHER™ & ©1964–2026 Metro-Goldwyn-Mayer Studios Inc. All Rights Reserved.  
The color PINK is a registered trademark of Owens Corning.  
© 2026 Owens Corning. All Rights Reserved. © 2026 Thermafiber, Inc. All Rights Reserved.