








THE ROOFING COLLECTION
PRODUCT GUIDE




NATIONAL



THERE'S A LINE BETWEEN A GOOD SHINGLE AND A GREAT SHINGLE.®

DURATION® SERIES SHINGLES

with SureNail® Technology and Triple Layer Protection®




Excellent Adhesive Power
Helps keep the shingle layers laminated.

Outstanding Grip
The SureNail® strip enhances the already amazing grip of our proprietary Tru-Bond®** sealant for exceptional wind resistance of a 130-MPH wind warranty.*




Breakthrough Design
Patented SureNail® Technology is the first and only reinforced nailing zone on the face of the shingle.

"No Guess" Wide Nailing Zone
This tough, engineered woven-fabric strip is embedded in the shingle to create an easy-to-see strong, durable fastener zone.



Triple Layer Protection®+
A unique "triple layer" of reinforcement occurs when the fabric overlays the two shingle layers, providing increased protection against "nail pull" from the wind.

Double the Common Bond
SureNail® features up to a 200% wider bond between the shingle layers in the nailing zone over standard shingles.

Specialty		**WOODMOOR®** Shingles 4
		**WOODCREST®** Shingles 5
		TruDefinition® **DURATION MAX®** Shingles with SureNail® Technology 6
		TruDefinition® **DURATION® COOL *Plus*** Shingles with SureNail® Technology 7
		TruDefinition® **DURATION® COOL** Shingles with SureNail® Technology 8
		TruDefinition® **DURATION FLEX®** Shingles with SureNail® Technology 9
		TruDefinition® **DURATION STORM®** Shingles with SureNail® and WeatherGuard® Technologies 10
Architectural		**DURATION® PREMIUM** Shingles with SureNail® Technology 11
		TruDefinition® **DURATION® DESIGNER** Shingles with SureNail® Technology 12
		TruDefinition® **OAKRIDGE®** Shingles 13
		TruDefinition® **DURATION®** Shingles with SureNail® Technology 14-15
		**OAKRIDGE®** Shingles 16
Traditional		**SUPREME®** Shingles 17
	TOTAL PROTECTION ROOFING SYSTEM^	**TOTAL PROTECTION ROOFING SYSTEM®^** & Roofing Accessory Products 18–19
		ROOFING ACCESSORY PRODUCTS 20–21
		PRODUCT ATTRIBUTES 22–23

COLOR DISCLAIMER

As color experts, we know getting the shingle color right is a big part of any roofing purchase. Due to printing color variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your color choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.


Chestnut[1]

Woodmoor® Shingles are designed to transform your home with the extra-thick dimension and rich texture reminiscent of wood shake but with outstanding durability and low maintenance.

- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty3/§
- Class 4 Impact Resistant9 — UL 2218


Carbon[1]


Chestnut[1]


Granite[1]


Mesquite[1]


Sycamore[1]


Timber[1]



Mountainside[1]
Only Available in Service Area 13.



Night Sky[1]
Only Available in Service Area 13.




Sand Castle[1]
Only Available in Service Area 13.

RATED CLASS 4

Pass UL 2218 testing for Class 4 Impact Resistance.

Woodmoor® is tested in a laboratory setting and classified as a UL 2218 Class 4 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

Colors available in Service Areas 11, 12, & 13 except where noted.




Carbon[1]

Woodcrest® Shingles are designed to enhance your home with the natural appearance and texture of wood shake but with outstanding durability and low maintenance.

- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty3/§
- Class 4 Impact Resistant9 — UL 2218


Carbon[1]


Chestnut[1]


Granite[1]



Mesquite[1]


Sycamore[1]


Timber[1]



Mountainside[1]
Only Available in Service Area 13.




Night Sky[1]
Only Available in Service Area 13.



Sand Castle[1]
Only Available in Service Area 13.

Colors available in Service Areas 11, 12, & 13 except where noted.



RATED CLASS 4

Pass UL 2218 testing for Class 4 Impact Resistance.


Woodcrest® is tested in a laboratory setting and classified as a UL 2218 Class 4 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.



Duration MAX® Shingles combine bold dimension with the strength and durability of our Patented SureNail® Technology to deliver both dramatic beauty and peak performance with the maximum thickness available in a Duration® Series Shingle.

- Patented SureNail® Technology featuring Triple Layer Protection®+ for added performance
- A TruDefinition® Color Platform
- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- Rated Class 3 for Impact Resistance[6] and may qualify for a homeowner insurance discount[7]


Carbon[1]


Granite[1]


Mesquite[1]


Smokey Mountain[1]


Sycamore[1]



Forest Brown[1]
Only Available in Service Area 13.



Mountainside[1]
Only Available in Service Area 13.



Night Sky[1]
Only Available in Service Area 13.



Sand Castle[1]
Only Available in Service Area 13.



Summerwood[1]
Only Available in Service Area 13.

Colors available in Service Areas 12 & 13 except where noted.

RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Duration® Series Shingles are tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 3 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

SureNail







Duration® COOL Plus Shingles are designed with solar-reflecting granules to meet or exceed an aged SRI of 20 — the current aged Solar Reflectance Index minimum required for the Green Building Standards Code of Los Angeles County and Los Angeles City Cool Roofs Ordinance.


- TruDefinition® Color Platform
- Patented SureNail® Technology
- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- Coordinates with color-matched Owens Corning® Hip & Ridge shingles for a finished look
- Rated Class 3 for Impact Resistance[6] and may qualify for a homeowner insurance discount[7]


20+ SRI



Cliffside Gray[1]


Copper Trail[1]



Golden Meadow[1]


Midnight[1]


Mystic Gray[1]


Prairie Wood[1]

20+ SRI


Rolling Stone[1]


RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Duration® Series Shingles are tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 3 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

SureNail

Colors available only in Service Area 13.







Duration® COOL Shingles are designed with solar-reflecting granules to meet the California Title 24, Part 6 Cool Roof requirements.


- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- Patented SureNail® Technology
- 20+ SRI options meet Green Building Standards Code of Los Angeles County and Los Angeles City Cool Roofs Ordinance
- Rated Class 3 for Impact Resistance[6] and may qualify for a homeowner insurance discount[7]


20+ SRI



Amber[1]



Oyster Shell[1]



Shasta White[1]



Sierra Gray[1]



Forest Brown[1]


Mojave[1]



Mountainside[1]


Night Sky[1]


Sand Castle[1]


Summerwood[1]

Colors available only in Service Area 13.



RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Duration® Series Shingles are tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 3 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.


SureNail


Onyx Black[1]


TruDefinition® Duration FLEX® shingles are made with a proprietary blend of SBS polymer modified asphalt. The rubberizing effect of the uniquely blended SBS modified asphalt makes the shingle pliable and gives them flexibility and enhanced durability and toughness, especially under intense storm conditions.

- Two of the industry's highest impact ratings: UL 2218 and FM 4473 Class 4[8]
- Patented SureNail® Technology for exceptional wind resistance
- TruDefinition® Color Platform
- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty[3/§]

Vibrant, Dimensional Color Combinations


Black Sable[1/4]


Sand Dune[1]



Storm Cloud[1]


Summer Harvest[1]

Rich, Sophisticated Classic Hues


Brownwood[1]



Driftwood[1]


Estate Gray[1]


Onyx Black[1]


Teak[1]

Colors available in Service Areas
1, 4, 5, 7, 8, 9, 10, 11, 12.



RATED CLASS 4

Pass UL 2218 and FM 4473 testing for Class 4 Impact Resistance.

Duration FLEX® is tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 4 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

SBS


SureNail


Onyx Black[1]

TruDefinition® Duration STORM® impact-resistant shingles feature patented WeatherGuard® Technology with integrated polymeric backing material. This allows Duration STORM® shingles to meet industry ratings for impact resistance.

- Two of the industry's highest impact ratings: UL 2218 and FM 4473 Class 4[8]
- Patented SureNail® Technology for exceptional wind resistance
- TruDefinition® Color Platform
- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*/‡‡
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty[3]/§


Antique Silver[1]


Brownwood[1]


Desert Tan[1]


Driftwood[1]


Estate Gray[1]


Onyx Black[1]


Teak[1]

RATED CLASS 4


Pass UL 2218 and FM 4473 testing for Class 4 Impact Resistance.

Duration STORM® is tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 4 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

CLASS 4 WEATHERGUARD® TECHNOLOGY

SureNail®

Colors available in Service Areas 7, 8, 9, 10, 11.





Duration® Premium Shingles feature a bold, dimensional appearance.

- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 130-MPH Wind Resistance Limited Warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty3/§
- Rated Class 3 for Impact Resistance6 and may qualify for a homeowner insurance discount7



Brownwood[1]
Only Available in Service Area 12.



Driftwood[1]



Estate Gray[1]



Onyx Black[1]



Teak[1]

RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Duration® Series Shingles are tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 3 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

Colors available in Service Areas 12 & 13 except where noted.

StreakGuard® Algae Resistance Technology is not available in Service Area 13.




SureNail





Duration® Designer Shingles offer spectacular curb appeal with bright, bold colors and the strength and durability of our Duration® Series shingles.

- The advanced performance of patented SureNail® Technology
- A TruDefinition® Color Platform
- A Limited Lifetime Warranty*/‡ (for as long as you own your home)
- The protection of a 130-MPH wind warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty3/§
- Rated Class 3 for Impact Resistance6 and may qualify for a homeowner insurance discount7


Aged Copper[1]


Black Sable[1/4]


Bourbon[1/4]


Evergreen Mist[1/5]


Gray Tweed[1/5]


Merlot[1]


Mountain Pine[1/4]


Pacific Wave[1]


Sand Dune[1]


Sedona Canyon[1]


Summer Harvest[1]

RATED CLASS 3


Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Duration® Series Shingles are tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 3 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

StreakGuard® Algae Resistance Technology is not available in service area 11.

SureNail

Colors available in all Service Areas.





TruDefinition® Oakridge® Shingles offer the premium protection of Oakridge® Shingles with colors that are specially formulated with bold, high-contrast hues.

- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 110/130 MPH Wind Resistance Limited Warranty*/‡‡
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty3/§


Brownwood[1]


Desert Tan[1]



Driftwood[1]


Estate Gray[1]


Onyx Black[1]



Peppercorn[1]
Only Available in Service Areas 2, 6.


Teak[1]
Only Available in Service Areas 8, 10.


Twilight Black[1]
Only Available in Service Areas 2, 6.


Williamsburg Gray[1]

Colors available in Service Areas 2, 6, 8, & 10 except where noted.




Williamsburg Gray[1]


Duration® Shingles come with the advanced performance of our patented SureNail® Technology.

- The high-performance of SureNail® Technology
- A TruDefinition® Color Platform
- A Limited Lifetime Warranty*/‡ (for as long as you own your home)
- The protection of a 130-MPH wind warranty*
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty[3/§]
- Rated Class 3 for Impact Resistance[6] and may qualify for a homeowner insurance discount[7]


Amber[1]
Only Available in Service Areas 3, 10.


Antique Silver[1]
Only available in Service Area 3.


Brownwood[1]


Chateau Green[1]


Colonial Slate[1]
Only Available in Service Areas 1, 4, 5, 7, 8, 9, 10.


Desert Rose[1]
Only Available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12.


Desert Tan[1]
Only Available in Service Area 13.


Driftwood[1]


Estate Gray[1]


Harbor Blue[1]
Only Available in Service Areas 1, 2, 3, 6, 8, 10, 13.


Midnight Plum[1/4]


Onyx Black[1]



Peppercorn[1]
Only Available in Service Areas 1, 2, 4, 5, 6, 7, 8, 9, 10, 11, 12.



Quarry Gray[1]
Only Available in Service Areas 2, 3, 6.



Sand Castle[1]
Only available in 1, 4, 5, 7, 9, 11.



Shasta White[1]
Only Available in Service Area 10.



Sierra Gray[1]
Only Available in Service Areas 1, 4, 5, 7, 8, 9, 10, 11, 12.



Slatestone Gray[1]
Only Available in Service Areas 1, 2, 4, 5, 6, 7, 9, 11, 12.



Teak[1]



Terra Cotta[1]
Only Available in Service Areas 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 13.



Williamsburg Gray[1]


RATED CLASS 3

Pass UL 2218 and FM 4473 testing for Class 3 Impact Resistance.

Duration® Series Shingles are tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 3 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

Colors available in all Service Areas except where noted.

StreakGuard® Algae Resistance Technology is not available in service areas 11 & 13.




SureNail


Onyx Black[1]

Oakridge® Shingles provide premium protection as a step up from traditional three-tab shingles.

- Limited Lifetime Warranty*/‡ (for as long as you own your home)
- 110/130 MPH Wind Resistance Limited Warranty*/‡‡
- StreakGuard® Protection with a 25-year Algae Resistance Limited Warranty3/§

Colors available in all Service Areas except where noted.



StreakGuard® Algae Resistance Technology is not available in service areas 11 & 13.


Antique Silver[1]
Only Available in Service Area 3.


Beachwood Sand[1]
Only Available in Service Area 3.


Black Walnut[1]
Only Available in Service Areas 11, 12.


Brownwood[1]


Desert Tan[1]


Driftwood[1]


Estate Gray[1]


Onyx Black[1]


Teak[1]
Available in All Service Areas Except 3.


Twilight Black[1]
Only Available in Service Area 12.


Williamsburg Gray[1]
Only Available in Service Areas 2, 6.



Amber[1]
Only Available in Service Area 13.



Cliffside Gray[1]
Only Available in Service Area 13.



Golden Meadow[1]
Only Available in Service Area 13.



Sand Castle[1]
Only Available in Service Area 13.



Shasta White[1]
Only Available in Service Area 13.



Sierra Gray[1]
Only Available in Service Areas 12, 13.



Desert Tan[1]

Supreme® three-tab shingles are a basic, smart choice when you want to balance seasons and value.

- 25-Year Limited Warranty* (for as long as you own your home)
- 60 MPH Wind Resistance Limited Warranty*
- StreakGuard® Protection with a 10-year Algae Resistance Limited Warranty*/3



Autumn Brown[1]
Only Available in Service Areas 2, 3, 6, 10.



Brownwood[1]
Only Available in Service Areas 8, 10.



Desert Tan[1]



Driftwood[1]



Estate Gray[1]



Onyx Black[1]




Shasta White[1]
Only Available in Service Area 10.



Teak[1]
Only Available in Service Area 10.

Colors available in Service Areas 2, 3, 6, 8, & 10, except where noted.



TOTAL PROTECTION SIMPLIFIED®

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning® Total Protection Roofing System®^ gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof.

SEAL.


Helps create a waterproof barrier

DEFEND.

Helps protect against nature's elements

BREATHE.

For balanced attic ventilation



+ COMFORT.

Add comfort and energy performance

PINK® Fiberglas™ blown-in attic insulation

§§ For intake ventilation, use approved Owens Corning® Vent Sure® InFlow ventilation or soffit ventilation. Do not use both intake ventilation options in one roofing application. See install instructions for more details.

TOTAL PROTECTION. TOTAL CONFIDENCE.®

SEAL.

Self-Adhered Ice & Water Barrier

- Provides a watertight barrier to help protect the roof where water tends to collect or flow, including valleys, eaves, chimneys, and skylights.
- Helps prevent damage associated with shingle blow-off, wind-driven rain, and ice damming.

Recommended Product Options:

- WeatherLock® G
- WeatherLock® Mat
- WeatherLock® Flex
- WeatherLock® Specialty Tile & Metal
- Titanium® PSU30
- Titanium® FR
- RhinoRoof® Granulated



Synthetic Underlayment

- Provides a water shedding barrier under shingles for the roof's last line of defense.
- Helps guard against damage from wind-driven rain.

Recommended Product Options:

- DeckDefense®
- ProArmor®
- Titanium® UDL25
- Titanium® UDL30
- Titanium® UDL50
- Titanium® X30
- RhinoRoof® U20



DEFEND.

Starter Shingles

- Helps provide a clean look with a straight edge along the eaves and the rakes of the roof.
- Helps ensure an effective seal with the first row of shingles to help prevent water infiltration and shingle blow-offs due to high winds.

Recommended Product Options:

- Starter Strip Plus
- Starter Shingle Roll
- WoodStart® Starter Strip Shingle



Hip & Ridge Shingles

- Add extra protection and stylish dimension along the hips and ridges – areas that are vulnerable to high winds.
- Designed to match and complement Owens Corning® shingles.

Recommended Product Options:

- ProEdge®
- DuraRidge®
- RIZERidge®
- DecoRidge®
- ImpactRidge®





Available regionally; visit www.owenscorning.com/roofing for details.

BREATHE.

Intake Ventilation

- Helps replace the warm, humid air in the attic with cool, dry air to help protect the interior components of the roofing system from heat and moisture damage which helps eliminate problems such as ice damming and premature shingle deterioration.



Recommended Product Options:

- VentSure® InFlow® Intake Vent

Exhaust Ventilation

- Optimally designed to work together with our VentSure® intake ventilation products, ridge and off-ridge exhaust ventilation helps create a balanced flow where warm, humid air is continuously replaced by cool, dry air.













Recommended Product Options:

- VentSure® 4-Foot Strip Vent
- VentSure® RidgeProwler™ 30 Rolled Ridge Vent
- VentSure® RidgeCat® Rolled Ridge Vent
- VentSure® Rigid Roll Ridge Vent
- VentSure® Metal Slant Back Roof Vent







	Owens Corning® Shingle Collection	Shingle Construction	Shingle Construction and Description	Patented SureNail® Technology	Warranty Length*	Wind Resistance Limited Warranty*	Algae Resistance Limited Warranty*/§/††	TRU PROtection® Non-Prorated Limited Warranty* Period
Specialty	**Woodmoor®** Collection		Laminated, extra thick, rustic wood shake appearance		Limited Lifetime*/‡	130-MPH*	25 Years3/§	10 Years
Specialty	**Woodcrest®** Collection		Laminated, thick, rustic wood shake appearance		Limited Lifetime*/‡	130-MPH*	25 Years3/§	10 Years
Specialty	TruDefinition® **DURATION MAX®**		Laminated, thick shingle appearance, bold contrast	SureNail® Technology	Limited Lifetime*/‡	130-MPH*		10 Years
Specialty	TruDefinition® **DURATION® COOL *Plus***		Laminated, dimensional appearance, energy efficient	SureNail® Technology	Limited Lifetime*/‡	130-MPH*		10 Years
Specialty	TruDefinition® **DURATION® COOL**		Laminated, dimensional appearance, energy efficient	SureNail® Technology	Limited Lifetime*/‡	130-MPH*		10 Years
Specialty	TruDefinition® **DURATION FLEX®**		Laminated, dimensional appearance, bold contrast, impact resistance	SureNail® Technology	Limited Lifetime*/‡	130-MPH*	25 Years3/§	10 Years
Specialty	TruDefinition® **DURATION STORM®**		Laminated, dimensional appearance, bold contrast, impact resistance	SureNail® Technology	Limited Lifetime*/‡	130-MPH*	25 Years3/§	10 Years
Architectural	**DURATION®** Premium		Laminated, dimensional appearance	SureNail® Technology	Limited Lifetime*/‡	130-MPH*	25 Years3/§	10 Years
Architectural	TruDefinition® **DURATION® Designer** Colors Collection		Laminated, dimensional appearance, bold contrast, unique vibrant colors	SureNail® Technology	Limited Lifetime*/‡	130-MPH*	25 Years3/§	10 Years
Architectural	TruDefinition® **DURATION®**		Laminated, dimensional appearance, bold contrast	SureNail® Technology	Limited Lifetime*/‡	130-MPH*	25 Years3/§	10 Years
Architectural	TruDefinition® **Oakridge®**		Laminated, dimensional appearance, bold contrast		Limited Lifetime*/‡	110/130-MPH*/‡‡‡	25 Years3/§	10 Years
Architectural	**Oakridge®**		Laminated, dimensional appearance		Limited Lifetime*/‡	110/130-MPH*/‡‡‡	25 Years3/§	10 Years
Traditional	**Supreme®**		Single layer, three-tab appearance		25-Year Limited*	60-MPH	10 Years	5 Years

Size	Application Exposure	Shingles per Square	Bundles per Square	Coverage per Square	ASTM D228	ASTM D3018 (Type 1)	ASTM D3161 (Class F Wind Resistance)	ASTM D3462	ASTM D7158 (Class H Wind Resistance)	ASTM E108/UL 790 (Class A Fire Resistance)	CSA A123.5[++]	Florida Product Approval	ICC-ES AC438[#]	Miami-Dade County Product Approval[2]	UL 2218 (Class 3 Impact Resistance)[6]	FM 4473 (Class 3 Impact Resistance)[6]	UL 2218 (Class 4 Impact Resistance)[8]	FM 4473 (Class 4 Impact Resistance)[8]	PRI ER 1378E01	Cool Roofing Rating Council
14¼" x 40"	4"	90	6	100 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓				✓		✓	✓
14¼" x 40"	4"	90	6	100 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓				✓		✓	✓
13¼" x 39⅜"	5⅝"	64	4	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓		✓	✓			✓	✓
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓			✓		✓	✓			✓	✓
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓			✓		✓	✓			✓	✓
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓	✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓	✓	
13¼" x 39⅜"	5⅝"	64	4	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓			✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓		✓	✓	✓					✓	
13¼" x 39⅜"	5⅝"	64	3	98.4 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	✓
12" x 36"	5"	80	3	100 sq. ft.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓	

* See actual warranty for complete details, limitations and requirements.

‡ 40-year Limited Warranty on commercial projects.

** Tru-Bond® is a proprietary premium weathering-grade asphalt sealant that is blended by Owens Corning.

‡‡ 130 MPH is applicable only with Owens Corning® Starter Shingle product application along eaves and rakes in accordance with installation instructions. Refer to installation instructions for complete details.

‡‡‡ 110 MPH is standard with 4-nail application. 130 MPH is applicable only with 6-nail application and Owens Corning® Starter Shingle products application along eaves and rakes in accordance with installation instructions.

\+ The amount of Triple Layer Protection® may vary on shingle-to-shingle basis.

++ Only on products sold in Canada.

\# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

1 See Color Disclaimer Information on page 5 for additional details.

3 Shingles are algae resistant to help control growth of algae and discoloration.

§ Installation must include use of an approved Owens Corning® Hip & Ridge Shingle product. See actual warranty for details.

†† Available regionally; visit www.owenscorning.com/roofing for details.

4 Owens Corning® shingles include a patented design.

5 Owens Corning® shingles include a patent pending design..

6 Duration® Series Shingles are tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 3 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

7 Homeowners should check with their insurance company to see if they qualify.

8 Duration FLEX® and Duration STORM® are tested in a laboratory setting and classified as a UL 2218 and FM 4473 Class 4 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

9 Woodcrest® and Woodmoor® are tested in a laboratory setting and classified as a UL 2218 Class 4 Impact-Resistant shingle. The results of this test do not guarantee that the shingle will resist all weather conditions. Hail damage is specifically excluded from coverage under the terms of its warranty.

SureNail® Technology is not a guarantee of performance in all weather conditions.

For patent information, please visit owenscorning.com/patents.

OWENS CORNING ROOFING AND ASPHALT, LLC
ONE OWENS CORNING PARKWAY
TOLEDO, OH 43659 USA

1-800-GET-PINK® | 1-800-438-7465
www.owenscorning.com/roofing

Pub. No. 10018857-N. Printed in U.S.A. March 2026.
THE PINK PANTHER™ & © 1964–2026 Metro-Goldwyn-Mayer Studios Inc.
All Rights Reserved. The color PINK is a registered trademark of Owens Corning.
© 2026 Owens Corning. All Rights Reserved.

(National)