



# OWENS CORNING FIBERGLAS™ PIPE INSULATION

## IRON PIPE

| IRON PIPE<br>SIZE | 1/2" |      |    | 1"   |      |    | 1-1/2" |      |    | 2"   |      |    | 2-1/2" |      |    | 3"   |      |    | 3-1/2" |      |    | 4"   |      |    | 4-1/2" |      |    | 5"   |      |    |
|-------------------|------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|
|                   | Lf/C | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# |
| 1/2"              | 282  | 33.1 | A  | 168  | 37.4 | J  | 87     | 33.3 | J  | 54   | 32.1 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 3/4"              | 225  | 30.8 | A  | 168  | 35.4 | J  | 87     | 32.5 | J  | 54   | 31.6 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 1"                | 180  | 28.5 | A  | 120  | 36.0 | J  | 63     | 29.4 | J  | 42   | 30.0 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 1-1/4"            | 204  | 36.2 | J  | 120  | 33.6 | J  | 54     | 30.0 | J  | 42   | 29.3 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 1-1/2"            | 168  | 33.0 | J  | 87   | 30.0 | X2 | 54     | 29.1 | X2 | 48   | 45.3 | T  | 36     | 45.5 | T  | 27   | 43.1 | T  |        |      |    |      |      |    |        |      |    |      |      |    |
| 2"                | 120  | 32.1 | J  | 63   | 27.2 | X2 | 42     | 26.9 | X2 | 48   | 43.3 | T  | 36     | 44.1 | T  | 27   | 52.6 | T  |        |      |    |      |      |    |        |      |    |      |      |    |
| 2-1/2"            | 87   | 27.7 | J  | 54   | 25.4 | X2 | 48     | 40.9 | T  | 36   | 42.2 | T  | 27     | 41.7 | T  | 18   | 36.1 | T  |        |      |    |      |      |    |        |      |    |      |      |    |
| 3"                |      |      |    | 42   | 22.6 | X2 | 48     | 37.2 | T  | 36   | 39.5 | T  | 27     | 39.6 | T  | 18   | 34.7 | T  |        |      |    |      |      |    |        |      |    |      |      |    |
| 3-1/2"            |      |      |    | 48   | 35.5 | T  | 36     | 36.9 | T  | 27   | 37.7 | T  | 18     | 33.4 | T  | 18   | 41.5 | T  |        |      |    |      |      |    |        |      |    |      |      |    |
| 4"                |      |      |    | 48   | 31.3 | T  | 36     | 33.9 | T  | 27   | 35.5 | T  | 18     | 32.0 | T  | 18   | 40.0 | T  | 12     | 32.1 | B  | 12   | 39.5 | T  | 12     | 48.6 | G  | 12   | 55.3 | G  |
| 4-1/2"            |      |      |    | 36   | 32.2 | T  | 27     | 33.0 | T  | 18   | 30.3 | T  | 18     | 38.3 | T  | 12   | 32.1 | B  | 12     | 38.4 | T  | 12   | 46.5 | T  | 12     | 52.8 | G  | 12   | 61   | G  |
| 5"                |      |      |    | 36   | 27.4 | T  | 27     | 32.3 | T  | 18   | 28.1 | T  | 18     | 36.1 | T  | 12   | 30.6 | B  | 12     | 36.9 | T  | 9    | 36.2 | G  | 6      | 30.9 | T  | 12   | 60   | G  |
| 6"                |      |      |    | 27   | 24.0 | T  | 18     | 23.6 | T  | 18   | 31.6 | T  | 12     | 27.6 | B  | 12   | 33.9 | T  | 12     | 43.0 | G  | 12   | 49.8 | G  | 6      | 34.7 | B  | 6    | 35.7 | G  |
| 7"                |      |      |    | 18   | 19.4 | T  | 18     | 26.7 | T  | 12   | 24.3 | B  | 12     | 30.6 | T  | 12   | 39.7 | G  | 12     | 46.5 | G  | 6    | 29.2 | T  | 6      | 33.1 | T  | 6    | 38.1 | G  |
| 8"                |      |      |    | 18   | 22.0 | T  | 12     | 20.6 | T  | 12   | 26.9 | T  | 12     | 35.9 | G  | 12   | 42.7 | G  | 6      | 27.4 | T  | 6    | 32.1 | G  | 6      | 36.8 | B  | 6    | 38.9 | B  |
| 9"                |      |      |    | 12   | 17.1 | B  | 12     | 22.7 | T  | 12   | 31.7 | G  | 12     | 38.5 | G  | 6    | 25.3 | T  | 6      | 30.0 | G  | 6    | 32.5 | B  | 6      | 38.7 | B  | 6    | 41.6 | B  |
| 10"               |      |      |    | 12   | 18.1 | T  | 12     | 26.4 | G  | 12   | 33.2 | G  | 6      | 22.6 | T  | 6    | 27.4 | G  | 6      | 29.9 | B  | 6    | 34.2 | B  | 3      | 24.1 | B  | 3    | 24.3 | B  |
| 11"               |      |      |    | 12   | 22.1 | G  | 12     | 28.0 | G  | 6    | 20.0 | T  | 6      | 24.8 | G  | 3    | 16.2 | B  | 6      | 31.6 | B  | 6    | 36.1 | B  | 6      | 42.6 | B  | 3    | 26.8 | B  |
| 12"               |      |      |    | 12   | 23.3 | G  | 6      | 17.2 | T  | 6    | 21.9 | G  | 6      | 24.4 | B  | 3    | 17.0 | B  | 6      | 33.3 | B  | 3    | 21.6 | B  | 3      | 24.6 | B  | 3    | 26.7 | B  |
| 14"               |      |      |    | 6    | 13.5 | T  | 12     | 28.9 | F  | 6    | 20.3 | B  | 6      | 24.6 | B  | 6    | 29.2 | T  | 3      | 19.5 | B  | 3    | 22.0 | B  | 3      | 24.6 | B  | 3    | 27.3 | B  |
| 15"               |      |      |    | 12   | 23.1 | F  | 6      | 17.0 | B  | 6    | 21.3 | B  | 6      | 25.8 | B  | 3    | 17.8 | B  | 3      | 20.3 | B  | 3    | 22.9 | B  | 3      | 25.6 | B  | 3    | 28.5 | B  |
| 16"               |      |      |    | 6    | 13.9 | B  | 6      | 17.7 | B  | 6    | 22.2 | B  | 3      | 16.0 | B  | 3    | 18.5 | B  | 3      | 21.1 | B  | 3    | 23.8 | B  | 3      | 28.2 | G  | 3    | 32.9 | F  |
| 17"               |      |      |    | 6    | 14.4 | B  | 6      | 18.4 | B  | 6    | 23.1 | B  | 3      | 16.6 | B  | 3    | 19.2 | B  | 3      | 21.9 | B  | 3    | 26.3 | G  | 3      | 29.3 | G  | 3    | 34.0 | F  |
| 18"               |      |      |    | 6    | 14.9 | B  | 6      | 19.1 | B  | 3    | 14.6 | B  | 3      | 17.2 | B  | 3    | 19.9 | B  | 3      | 24.3 | G  | 3    | 28.9 | F  | 3      | 30.4 | G  | 3    | 35.2 | F  |
| 19"               |      |      |    | 6    | 15.4 | B  | 6      | 19.8 | B  | 3    | 15.1 | B  | 3      | 17.8 | B  | 3    | 22.2 | G  | 3      | 25.1 | G  | 3    | 28.2 | G  | 3      | 31.4 | G  | 3    | 36.3 | F  |
| 20"               |      |      |    | 6    | 15.9 | B  | 6      | 20.5 | B  | 3    | 15.5 | B  | 3      | 19.9 | G  | 3    | 20.3 | G  | 3      | 26.0 | G  | 3    | 29.2 | G  | 3      | 32.4 | G  | 3    | 37.4 | F  |
| 21"               |      |      |    | 6    | 16.4 | B  | 3      | 13.2 | B  | 9    | 39.2 | F  | 3      | 22.2 | G  | 3    | 23.6 | G  | 3      | 30.1 | G  | 3    | 30.1 | G  | 3      | 33.4 | G  | 3    | 38.6 | F  |
| 22"               |      |      |    | 6    | 16.9 | B  | 6      | 23.4 | F  | 6    | 31.0 | F  | 3      | 21.1 | G  | 3    | 24.3 | G  | 3      | 31.0 | G  | 3    | 32.6 | F  | 3      | 34.5 | G  | 3    | 39.7 | F  |
| 23"               |      |      |    | 3    | 11.3 | B  | 6      | 25.8 | F  | 3    | 18.5 | G  | 3      | 18.3 | G  | 3    | 25.0 | G  | 3      | 33.5 | F  | 3    | 33.5 | F  | 3      | 35.5 | G  | 3    | 40.9 | F  |
| 24"               |      |      |    | 9    | 27.5 | F  | 6      | 24.9 | F  | 6    | 31.3 | F  | 6      | 37.8 | F  | 3    | 27.3 | F  | 3      | 30.8 | F  | 3    | 34.4 | F  | 3      | 38.2 | F  | 3    | 42.0 | F  |
| 25"               |      |      |    |      |      |    | 6      | 25.6 | F  | 6    | 32.1 | F  | 3      | 24.5 | F  | 3    | 28.0 | F  |        |      |    |      |      |    |        |      |    |      |      |    |
| 26"               |      |      |    |      |      |    | 6      | 26.2 | F  | 6    | 34.7 | F  | 3      | 25.0 | F  | 3    | 28.7 | F  |        |      |    |      |      |    |        |      |    |      |      |    |
| 27"               |      |      |    |      |      |    | 6      | 28.6 | F  | 6    | 35.6 | F  | 3      | 25.6 | F  | 3    | 29.4 | F  |        |      |    |      |      |    |        |      |    |      |      |    |
| 28"               |      |      |    |      |      |    | 6      | 29.3 | F  | 6    | 36.5 | F  | 3      | 26.2 | F  | 3    | 30.1 | F  |        |      |    |      |      |    |        |      |    |      |      |    |
| 29"               |      |      |    |      |      |    | 6      | 30.0 | F  | 3    | 22.9 | F  | 3      | 26.8 | F  | 3    | 30.8 | F  |        |      |    |      |      |    |        |      |    |      |      |    |
| 30"               |      |      |    |      |      |    | 6      | 30.7 | F  | 3    | 29.5 | H  | 3      | 32.1 | Z  | 3    | 36.2 | H  |        |      |    |      |      |    |        |      |    |      |      |    |
| 31"               |      |      |    |      |      |    | 6      | 31.4 | F  | 3    | 23.8 | H  | 3      | 32.6 | H  | 3    | 36.9 | Z  |        |      |    |      |      |    |        |      |    |      |      |    |
| 32"               |      |      |    |      |      |    | 3      | 24.9 | H  | 3    | 29.0 | H  | 3      | 33.2 | Z  | 3    | 37.5 | Z  |        |      |    |      |      |    |        |      |    |      |      |    |
| 33"               |      |      |    |      |      |    | 3      | 25.3 | Z  | 3    | 29.5 | Z  | 3      | 33.8 | Z  | 3    | 38.2 | Z  |        |      |    |      |      |    |        |      |    |      |      |    |
| 34"               |      |      |    |      |      |    | 3      | 25.6 | Z  | 3    | 29.9 | Z  | 3      | 34.4 | Z  | 3    | 38.9 | Z  |        |      |    |      |      |    |        |      |    |      |      |    |
| 35"               |      |      |    |      |      |    | 3      | 25.9 | Z  | 3    | 30.4 | Z  | 3      | 34.9 | Z  | 3    | 40.3 | Z  |        |      |    |      |      |    |        |      |    |      |      |    |
| 36"               |      |      |    |      |      |    | 3      | 26.3 | Z  | 3    | 30.9 | Z  | 3      | 35.5 | Z  | 3    | 40.3 | Z  |        |      |    |      |      |    |        |      |    |      |      |    |

**Lf/C:** Total linear feet of pipe/carton  
**lb/C:** Gross weight of carton in pounds  
**C#:** Carton code  
 = Size not available  
 = Available upon request

### CARTON SIZES

| CODE (C#) | OUTER DIMENSIONS           | BOX WEIGHT (LBS) | SH 53 LOAD FACTOR |
|-----------|----------------------------|------------------|-------------------|
| A         | 19-3/4 x 17-5/8 x 36-3/4   | 3.4              | 0.253             |
| B         | 24-5/8 x 24-5/8 x 36-3/4   | 5.1              | 0.373             |
| F         | 34-5/8 x 34-5/8 x 36-3/4   | 8.3              | 0.943             |
| G         | 29-5/8 x 29-5/8 x 36-3/4   | 6.7              | 0.565             |
| H         | 37-5/8 x 37-5/8 x 36-3/4   | 9.2              | 1.563             |
| J         | 24-5/8 x 19-5/8 x 36-3/4   | 4.2              | 0.299             |
| T         | 30-5/8 x 24-5/8 x 36-3/4   | 5.7              | 0.424             |
| X/X2      | 25-5/16 x 19-5/8 x 36-3/4  | 4.2              | 0.299             |
| Z         | 42-5/16 x 42-5/16 x 36-3/4 | 13               | 1.111             |

| CODE (C#) | OUTER DIMENSIONS           | BOX WEIGHT (LBS) | PB 53 LOAD FACTOR |
|-----------|----------------------------|------------------|-------------------|
| A         | 19-3/4 x 17-5/8 x 36-3/4   | 3.4              | 0.253             |
| B         | 24-5/8 x 24-5/8 x 36-3/4   | 5.1              | 0.373             |
| F         | 34-5/8 x 34-5/8 x 36-3/4   | 8.3              | 0.943             |
| G         | 29-5/8 x 29-5/8 x 36-3/4   | 6.7              | 0.565             |
| H         | 37-5/8 x 37-5/8 x 36-3/4   | 9.2              | 1.563             |
| J         | 24-5/8 x 19-5/8 x 36-3/4   | 4.2              | 0.299             |
| T         | 30-5/8 x 24-5/8 x 36-3/4   | 5.7              | 0.424             |
| X/X2      | 25-5/16 x 19-5/8 x 36-3/4  | 4.2              | 0.299             |
| Z         | 42-5/16 x 42-5/16 x 36-3/4 | 13               | 1.666             |



# OWENS CORNING FIBERGLAS™ PIPE INSULATION

## COPPER TUBING

| COPPER<br>SIZE | 1/2" |      |    | 1"   |      |    | 1-1/2" |      |    | 2"   |      |    | 2-1/2" |      |    | 3"   |      |    | 3-1/2" |      |    | 4"   |      |    | 4-1/2" |      |    | 5"   |      |    |  |
|----------------|------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|--|
|                | Lf/C | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# |  |
| 5/8"           | 282  | 36.3 | A  | 168  | 38.7 | J  | 120    | 36.1 | J  | 63   | 31.2 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 7/8"           | 282  | 33.1 | A  | 168  | 37.4 | J  | 87     | 33.3 | J  | 54   | 32.1 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 1-1/8"         | 225  | 30.8 | A  | 168  | 35.4 | J  | 87     | 32.5 | J  | 54   | 31.6 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 1-3/8"         | 180  | 28.5 | A  | 120  | 36.0 | J  | 63     | 29.4 | J  | 42   | 30.0 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 1-5/8"         | 204  | 36.2 | J  | 120  | 33.6 | J  | 54     | 30.0 | J  | 42   | 29.3 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 2-1/8"         | 120  | 36.3 | J  | 87   | 29.6 | J  | 54     | 28.1 | J  | 48   | 44.4 | T  | 36     | 44.9 | T  | 27   | 43.7 | T  |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 2-5/8"         | 87   | 31.4 | J  | 63   | 25.4 | J  | 42     | 25.8 | J  | 48   | 42.2 | T  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 3-1/8"         |      |      |    | 54   | 23.7 | X2 | 48     | 39.5 | T  | 36   | 41.2 | T  | 18     | 29.2 | T  | 18   | 35.6 | T  |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 3-5/8"         |      |      |    | 42   | 21.8 | X2 | 48     | 36.4 | T  | 36   | 38.8 | T  | 27     | 39.2 | T  | 18   | 34.5 | T  |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 4-1/8"         |      |      |    | 48   | 34.5 | T  | 36     | 36.2 | T  | 27   | 37.1 | T  | 18     | 33.1 | T  | 18   | 41.1 | T  |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 5-1/8"         |      |      |    | 36   | 31.3 | T  | 27     | 32.3 | T  | 18   | 29.9 | T  | 12     | 27.2 | T  | 12   | 32.5 | B  |        |      |    |      |      |    |        |      |    |      |      |    |  |
| 6-1/8"         |      |      |    | 27   | 27.5 | T  | 18     | 25.8 | T  | 18   | 33.8 | T  | 12     | 29.1 | B  | 6    | 20.0 | T  |        |      |    |      |      |    |        |      |    |      |      |    |  |

### CARTON SIZES

| CODE (C#) | OUTER DIMENSIONS           | BOX WEIGHT (LBS) | SH 53 LOAD FACTOR |
|-----------|----------------------------|------------------|-------------------|
| A         | 19-3/4 x 17-5/8 x 36-3/4   | 3.4              | 0.215             |
| B         | 24-5/8 x 24-5/8 x 36-3/4   | 5.1              | 0.329             |
| F         | 34-5/8 x 34-5/8 x 36-3/4   | 8.3              | 0.926             |
| G         | 29-5/8 x 29-5/8 x 36-3/4   | 6.7              | 0.529             |
| H         | 37-5/8 x 37-5/8 x 36-3/4   | 9.2              | 0.926             |
| J         | 24-5/8 x 19-5/8 x 36-3/4   | 4.2              | 0.263             |
| T         | 30-5/8 x 24-5/8 x 36-3/4   | 5.7              | 0.397             |
| X/X2      | 25-5/16 x 19-5/8 x 36-3/4  | 4.2              | 0.263             |
| Z         | 42-5/16 x 42-5/16 x 36-3/4 | 13               | 1.191             |

**Lf/C:** Total linear feet of pipe/carton  
**lb/C:** Gross weight of carton in pounds  
**C#:** Carton code

= Size not available    
  = Available upon request



# OWENS CORNING FIBERGLAS™ PIPE INSULATION

## METRIC TUBING

| METRIC SIZE | 1/2" |      |    | 1"   |      |    | 1-1/2" |      |    | 2"   |      |    | 2-1/2" |      |    | 3"   |      |    | 3-1/2" |      |    | 4"   |      |    | 4-1/2" |      |    | 5"   |      |    |
|-------------|------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|--------|------|----|------|------|----|
|             | Lf/C | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# | Lf/C   | lb/C | C# | Lf/C | lb/C | C# |
| 20 mm       |      |      |    | 168  | 37.9 | J  | 87     | 33.6 | J  | 54   | 32.3 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 25 mm       |      |      |    | 168  | 36.1 | J  | 87     | 32.8 | J  | 54   | 31.8 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 32 mm       |      |      |    | 120  | 36.8 | J  | 63     | 29.7 | J  | 42   | 30.2 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 40 mm       |      |      |    | 120  | 34.5 | J  | 54     | 30.3 | J  | 42   | 29.5 | J  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 50 mm       |      |      |    | 87   | 30.5 | J  | 54     | 28.6 | J  | 48   | 44.8 | T  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 63 mm       |      |      |    | 63   | 26.2 | J  | 42     | 26.3 | J  | 48   | 42.7 | T  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 75 mm       |      |      |    | 54   | 25.6 | J  | 48     | 40.1 | T  | 36   | 41.6 | T  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 90 mm       |      |      |    | 42   | 22.3 | J  | 48     | 36.9 | T  | 36   | 39.2 | T  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 125 mm      |      |      |    | 36   | 32.2 | T  | 27     | 33.0 | T  | 18   | 30.3 | T  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 160 mm      |      |      |    | 27   | 26.3 | T  | 18     | 25.0 | T  | 18   | 33.1 | T  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 200 mm      |      |      |    | 18   | 26.4 | T  | 12     | 18.7 | T  | 12   | 23.3 | B  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 250 mm      |      |      |    | 12   | 15.7 | B  | 12     | 21.4 | T  | 12   | 30.5 | G  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |
| 315 mm      |      |      |    | 12   | 25.2 | G  | 6      | 18.1 | T  | 6    | 22.8 | G  |        |      |    |      |      |    |        |      |    |      |      |    |        |      |    |      |      |    |

### CARTON SIZES

| CODE (C#) | OUTER DIMENSIONS           | BOX WEIGHT (LBS) | PB 53 LOAD FACTOR | SH 53 LOAD FACTOR |
|-----------|----------------------------|------------------|-------------------|-------------------|
| A         | 19-3/4 x 17-5/8 x 36-3/4   | 3.4              | 0.253             | 0.253             |
| B         | 24-5/8 x 24-5/8 x 36-3/4   | 5.1              | 0.373             | 0.373             |
| F         | 34-5/8 x 34-5/8 x 36-3/4   | 8.3              | 0.943             | 0.943             |
| G         | 29-5/8 x 29-5/8 x 36-3/4   | 6.7              | 0.565             | 0.565             |
| H         | 37-5/8 x 37-5/8 x 36-3/4   | 9.2              | 1.563             | 1.563             |
| J         | 24-5/8 x 19-5/8 x 36-3/4   | 4.2              | 0.299             | 0.299             |
| T         | 30-5/8 x 24-5/8 x 36-3/4   | 5.7              | 0.424             | 0.424             |
| X/X2      | 25-5/16 x 19-5/8 x 36-3/4  | 4.2              | 0.299             | 0.299             |
| Z         | 42-5/16 x 42-5/16 x 36-3/4 | 13               | 1.666             | 1.111             |

**Lf/C:** Total linear feet of pipe/carton  
**lb/C:** Gross weight of carton in pounds  
**C#:** Carton code  
 = Size not available  
 = Available upon request