



# PROEDGE®

Hip & Ridge Shingles



**TOTAL PROTECTION. TOTAL CONFIDENCE.®**



**SEAL.**



**DEFEND.**




**BREATHE.**





ProEdge® Hip & Ridge Shingles

# PERFECT FINISH



## Top off any roof with ProEdge® Hip & Ridge Shingles

A protective finishing touch that stands out while standing the test of time, ProEdge® Hip & Ridge Shingles are designed to shield your home while enhancing its curb appeal with a pronounced shadow line and well-defined ridge. They are the perfect finish for a beautiful exterior, colour coordinated to match Owens Corning® Duration® or Oakridge® laminate shingles. Because your roof deserves the same protection and attention to detail as the rest of your home.



### ENHANCED CURB APPEAL

Distinctive shadow line creates a polished, uniform look that enhances your home's exterior style.



### DURABLE PERFORMANCE

Specially designed to bend, giving the ridge added wind protection at one of the most vulnerable areas of the roof.



### ADDED PROTECTION

Limited Lifetime Warranty\* when installed with Owens Corning® laminate shingles and up to 209 KM/H (130 MPH) Wind Resistance Limited Warranty.\* StreakGuard™ Protection with a 25-year Algae Resistance Limited Warranty<sup>2/§</sup>



## THE RIGHT RIDGE MEANS MORE PROTECTION

Add extra protection and dimension while defending the parts of your roof that are vulnerable to high winds. With 2X higher wind rating than cut 3-tab shingles, ProEdge® Hip & Ridge shingles offer better performance without sacrificing style.

**2X** WIND  
WARRANTY  
OVER CUT 3-TAB SHINGLES



---

# TURN UP THE COLOUR ON YOUR ROOF

Attention to detail matters. ProEdge® Hip & Ridge Shingles provide a clean, consistent roof line while offering a cost-effective solution to cut 3-tab shingles. It's the perfect finishing touch for the most visible part of your roof.

See map below for colour availability.



**Brownwood<sup>1</sup>**



**Desert Rose<sup>1</sup>**



**Desert Tan<sup>1</sup>**



**Driftwood<sup>1</sup>**



**Estate Gray<sup>1</sup>**



**Onyx Black<sup>1</sup>**



**Sierra Gray<sup>1</sup>**



**Slatestone Gray<sup>1</sup>**



**Teak<sup>1</sup>**



**Williamsburg Gray<sup>1</sup>**

---

## BRIGHT. BOLD. BRILLIANT.

ProEdge® Hip & Ridge shingles coordinate with TruDefinition® Duration® Shingles Designer Colours Collection.



**Black Sable<sup>1</sup>**



**Bourbon<sup>1</sup>**



**Pacific Wave<sup>1</sup>**



**Don't let black streaks lower the value or curb appeal of your home.**

Owens Corning blends specialized copper-lined granules, developed by 3M, a leading producer of roofing granules, into our colourful shingles. This helps resist blue-green algae growth.\*


## COLOUR DISCLAIMER

As colour experts, we know getting the shingle colour right is a big part of any roofing purchase. Due to printing colour variations, in addition to viewing shingle literature, we suggest you request an actual shingle sample to see how it will appear on your home and with your home's exterior elements in various natural lighting conditions. Lastly, we recommend you verify your colour choice by seeing it installed on an actual home; your roofing contractor or supplier can provide a sample and may be able to direct you to a local installation.



## TOTAL PROTECTION SIMPLIFIED™

It takes more than just shingles to protect a home. It takes an integrated system of components and layers designed to perform in three critical areas. The Owens Corning® Total Protection Roofing System® gives you the assurance that all of your Owens Corning® roofing components are working together to help increase the performance of your roof.



## Product Attributes

### Warranty Length\*

Limited Lifetime†  
(for as long as you own your home)

### Wind Resistance Limited Warranty\*

209 KM/H (130 MPH)

### Algae Resistance Limited Warranty\*/§

25 Years



## ProEdge® Hip & Ridge Shingle Product Specifications

Nominal Size	12" x 36"
Nominal Size	12" x 12"
Exposure	6"
Shingles per Bundle	22
Pieces per Shingle/Bundle	3/66
Lineal Coverage per Bundle	33 ft.

## Applicable Standards and Codes

CSA A123.5++

ASTM D3462

ASTM D228

ASTM D3018 (Type 1)

ICC-ES AC438#

ASTM D3161 (Class F Wind Resistance)

ASTM E108/UL 790 (Class A Fire Resistance)

UL 2218 (Class 3 Impact Resistance)³

FM 4473 (Class 3 Impact Resistance)³

PRI ER 1378E01

\* See actual warranty for complete details, limitations and requirements.

† 40-year Limited Warranty on commercial projects.

++ Only on product sold in Canada.

# International Code Council Evaluation Services Acceptance Criteria for Alternative Asphalt Shingles.

^ Excludes non-Owens Corning® roofing products such as flashing, fasteners, pipe boots and wood decking.

1 See Colour Disclaimer Information for additional details.

2 Shingles are algae resistant to help control the growth of algae and discoloration.

3 Qualifying Owens Corning Hip & Ridge Shingles may be required to complete a UL 2218 and/or FM 4473 Class 3 Impact-Resistant Roof System. Due to the variability in real storm conditions, a Class Rating on any product does not guarantee that it will withstand damage from hailstorms or other acts of God. Owens Corning shingles are not covered under a warranty for hail damage.

4 Owens Corning® Black Sable Shingle includes a patented design.

§ This coverage is effective 01/01/2023; Installation must include use of an approved Owens Corning® laminate shingle product with a 25-year algae resistance warranty. See actual warranty for details.



OWENS CORNING ROOFING AND ASPHALT, LLC  
ONE OWENS CORNING PARKWAY  
TOLEDO, OHIO, USA 43659

1-800-GET-PINK® | 1-800-438-7465  
www.owenscorning.ca

Pub. No. 500378-J. Printed in Canada. December 2025.  
THE PINK PANTHER® & © 1964–2025 Metro-Goldwyn-Mayer Studios Inc.  
All Rights Reserved. The colour PINK is a registered trademark of Owens Corning.  
© 2025 Owens Corning. All Rights Reserved.